Clinical Endocrinology (2004) **60**, iii–vii

Contents

Volume 60, Number 1, January 2004

Review

1 The pathophysiology of polycystic ovary syndrome: T. TSILCHOROZIDOU, C. OVERTON AND G. S. CONWAY

Commentary

18 Thyroid incidentaloma: the ignorant in pursuit of the impalpable: D. TOPLISS

Original articles

21 Ultrasonography-guided fine-needle aspiration of thyroid incidentaloma: correlation with pathological findings: I. S. NAM-GOONG, H. Y. KIM, G. GONG, H. K. LEE, S. J. HONG, W. B. KIM AND Y. K. SHONG

29 Cortisol levels and mortality in severe sepsis: S. SAM, T. C. CORBRIDGE, B. MOKHLESI, A. P. COMELLAS AND M. E. MOLITCH

36 The first homozygous mutation (S226I) in the highly-conserved WSXWS-like motif of the GH receptor causing Laron syndrome: supression of GH secretion by GnRH analogue therapy not restored by dihydrotestosterone administration: A. A. L. JORGE, S. C. A. L. SOUZA, I. J. P. ARNHOLD AND B. B. MENDONCA

41 Obese patients with obstructive sleep apnoea syndrome show a peculiar alteration of the corticotroph but not of the thyrotroph and lactotroph function: F. LANFRANCO, L. GIANOTTI, S. PIVETTI, F. NAVONE, R. ROSSETTO, F. TASSONE, V. GAI, E. GHIGO AND M. MACCARIO

49 Stimulation of thyroid-stimulating hormone (TSH) receptor antibody production following painless thyroiditis: M. IITAKA, N. G. MORGENTHALER, N. MOMOTANI, A. NAGATA, N. ISHIKAWA, K. ITO, S. KATAYAMA AND K. ITO

54 N-terminal-pro-B-type natriuretic peptide (NT-pro-BNP) in different thyroid function states: M. SCHULTZ, J. FABER, C. KISTORP, A. JARLØV, F. PEDERSEN, N. WIINBERG AND P. HILDEBRANDT

60 Association between ghrelin and cardiovascular indexes in healthy obese and lean men: N. A. TRITOS, K. V. KISSINGER, W. J. MANNING AND P. G. DANIAS

67 Relationship of GnRH-stimulated LH release to episodic LH secretion and baseline endocrine-metabolic measures in women with polycystic ovary syndrome: K. PATEL, M. S. COFFLER, M. H. DAHAN, P. J. MALCOM, R. DEUTSCH AND R. J. CHANG

75 Serum paraoxonase activity before and after treatment of thyrotoxicosis: F. RAISZADEH, M. SOLATI, A. ETEMADI AND F. AZIZI

81 Vitamin D status in female patients with primary hyperparathyroidism: does it play a role in skeletal damage?: V. CARNEVALE, G. MANFREDI, E. ROMAGNOLI, S. DE GERONIMO, F. PAGLIA, J. PEPE, A. SCILLITANI, E. D'ERASMO AND S. MINISOLA

87 Serum osteoprotegerin and receptor activator of nuclear factors kB (RANKL) concentrations in normal children and in children with pubertal precocity, Turner's syndrome and rheumatoid arthritis: F. BUZI, G. MACCARINELLI, B. GUARAGNI, F. RUGGERI, G. RADETTI, A. MEINI, E. MAZZOLARI AND D. COCCHI

92 Growth hormone replacement in adults and bone mineral density: a systematic review and meta-analysis: P. DAVIDSON, R. MILNE, D. CHASE AND C. COOPER

99 A reappraisal of the Rb1 gene abnormalities in the diagnosis of parathyroid cancer: F. CETANI, E. PARDI, P. VIACAVA, G. DI POLLINA, G. FANELLI, A. PICONE, S. BORSARI, E. GAZZERRO, P. MICCOLI, P. BERTI, A. PINCHERA AND C. MARCOCCI

107 Expression, subcellular localization and phosphorylation status of annexins 1 and 5 in human pituitary adenomas and a growth hormone-secreting carcinoma: A. MULLA, H. C. CHRISTIAN, E. SOLITO, N. MENDOZA, J. F. MORRIS AND J. C. BUCKINGHAM

120 FSH and LH responses to GnRH after ovariectomy in postmenopausal women: K. C. DAFOPOULOS, C. P. KOTSOVASSILIS, S. D. MILINGOS, A. T. KALLITSARIS, G. S. GEORGADAKIS, P. G. SOTIROS AND I. E. MESSINIS

125 Impaired trafficking of mutated AVP prohormone in cells expressing rare disease genes causing autosomal dominant familial neurohypophyseal diabetes insipidus: J. H. CHRISTENSEN, C. SIGGAARD, T. J. CORYDON, G. L. ROBERTSON, N. GREGERSEN, L. BOLUND AND S. RITTIG

137 The relationship of ghrelin to biochemical and anthropometric markers of adult growth hormone deficiency: I. A. MALIK, P. J. ENGLISH, M. A. GHATEI, S. R. BLOOM, I. A. MACFARLANE AND J. P. H. WILDING

142 **Letters to the Editors**

150 **Book Review**

151 **Errata**

Author's Declaration

Instructions for authors

Clinical Endocrinology (2004) **60**, iii–vii

Contents

Volume 60, Number 1, January 2004

Review

1 The pathophysiology of polycystic ovary syndrome: T. TSILCHOROZIDOU, C. OVERTON AND G. S. CONWAY

Commentary

18 Thyroid incidentaloma: the ignorant in pursuit of the impalpable: D. TOPLISS

Original articles

21 Ultrasonography-guided fine-needle aspiration of thyroid incidentaloma: correlation with pathological findings: I. S. NAM-GOONG, H. Y. KIM, G. GONG, H. K. LEE, S. J. HONG, W. B. KIM AND Y. K. SHONG

29 Cortisol levels and mortality in severe sepsis: S. SAM, T. C. CORBRIDGE, B. MOKHLESI, A. P. COMELLAS AND M. E. MOLITCH

36 The first homozygous mutation (S226I) in the highly-conserved WSXWS-like motif of the GH receptor causing Laron syndrome: supression of GH secretion by GnRH analogue therapy not restored by dihydrotestosterone administration: A. A. L. JORGE, S. C. A. L. SOUZA, I. J. P. ARNHOLD AND B. B. MENDONCA

41 Obese patients with obstructive sleep apnoea syndrome show a peculiar alteration of the corticotroph but not of the thyrotroph and lactotroph function: F. LANFRANCO, L. GIANOTTI, S. PIVETTI, F. NAVONE, R. ROSSETTO, F. TASSONE, V. GAI, E. GHIGO AND M. MACCARIO

49 Stimulation of thyroid-stimulating hormone (TSH) receptor antibody production following painless thyroiditis: M. IITAKA, N. G. MORGENTHALER, N. MOMOTANI, A. NAGATA, N. ISHIKAWA, K. ITO, S. KATAYAMA AND K. ITO

54 N-terminal-pro-B-type natriuretic peptide (NT-pro-BNP) in different thyroid function states: M. SCHULTZ, J. FABER, C. KISTORP, A. JARLØV, F. PEDERSEN, N. WIINBERG AND P. HILDEBRANDT

60 Association between ghrelin and cardiovascular indexes in healthy obese and lean men: N. A. TRITOS, K. V. KISSINGER, W. J. MANNING AND P. G. DANIAS

67 Relationship of GnRH-stimulated LH release to episodic LH secretion and baseline endocrine-metabolic measures in women with polycystic ovary syndrome: K. PATEL, M. S. COFFLER, M. H. DAHAN, P. J. MALCOM, R. DEUTSCH AND R. J. CHANG

75 Serum paraoxonase activity before and after treatment of thyrotoxicosis: F. RAISZADEH, M. SOLATI, A. ETEMADI AND F. AZIZI

81 Vitamin D status in female patients with primary hyperparathyroidism: does it play a role in skeletal damage?: V. CARNEVALE, G. MANFREDI, E. ROMAGNOLI, S. DE GERONIMO, F. PAGLIA, J. PEPE, A. SCILLITANI, E. D'ERASMO AND S. MINISOLA

87 Serum osteoprotegerin and receptor activator of nuclear factors kB (RANKL) concentrations in normal children and in children with pubertal precocity, Turner's syndrome and rheumatoid arthritis: F. BUZI, G. MACCARINELLI, B. GUARAGNI, F. RUGGERI, G. RADETTI, A. MEINI, E. MAZZOLARI AND D. COCCHI

92 Growth hormone replacement in adults and bone mineral density: a systematic review and meta-analysis: P. DAVIDSON, R. MILNE, D. CHASE AND C. COOPER

99 A reappraisal of the Rb1 gene abnormalities in the diagnosis of parathyroid cancer: F. CETANI, E. PARDI, P. VIACAVA, G. DI POLLINA, G. FANELLI, A. PICONE, S. BORSARI, E. GAZZERRO, P. MICCOLI, P. BERTI, A. PINCHERA AND C. MARCOCCI

107 Expression, subcellular localization and phosphorylation status of annexins 1 and 5 in human pituitary adenomas and a growth hormone-secreting carcinoma: A. MULLA, H. C. CHRISTIAN, E. SOLITO, N. MENDOZA, J. F. MORRIS AND J. C. BUCKINGHAM

120 FSH and LH responses to GnRH after ovariectomy in postmenopausal women: K. C. DAFOPOULOS, C. P. KOTSOVASSILIS, S. D. MILINGOS, A. T. KALLITSARIS, G. S. GEORGADAKIS, P. G. SOTIROS AND I. E. MESSINIS

125 Impaired trafficking of mutated AVP prohormone in cells expressing rare disease genes causing autosomal dominant familial neurohypophyseal diabetes insipidus: J. H. CHRISTENSEN, C. SIGGAARD, T. J. CORYDON, G. L. ROBERTSON, N. GREGERSEN, L. BOLUND AND S. RITTIG

137 The relationship of ghrelin to biochemical and anthropometric markers of adult growth hormone deficiency: I. A. MALIK, P. J. ENGLISH, M. A. GHATEI, S. R. BLOOM, I. A. MACFARLANE AND J. P. H. WILDING

142 **Letters to the Editors**

150 **Book Review**

151 **Errata**

Author's Declaration

Instructions for authors

Volume 60, Number 2, February 2004

Review

153 Appetite regulation: from the gut to the hypothalamus: N. M. NEARY, A. P. GOLDSTONE AND S. R. BLOOM

Commentary

161 Standard and low-dose IGF-1 generation tests and spontaneous growth hormone secretion in children with idiopathic short stature: P. C. HINDMARSH

Original articles

163 Standard and low-dose IGF-I generation tests and spontaneous growth hormone secretion in children with idiopathic short stature: J. C. BLAIR, C. CAMACHO-HÜBNER, F. M. MOUD, S. ROSBERG, C. BURREN, S. LIM, P. E. CLAYTON, R. BJARNASON, K. ALBERTSSON-WIKLAND AND M. O. SAVAGE

169 Successful treatment of childhood-onset Cushing's disease is associated with persistent reduction in growth hormone secretion: P. V. CARROLL, J. P. MONSON, A. B. GROSSMAN, G. M. BESSER, P. N. PLOWMAN, F. AFSHAR AND M. O. SAVAGE

175 Longitudinal changes of lumbar bone mineral density (BMD) in patients with GH deficiency after discontinuation of treatment at final height; timing and peak values for lumbar BMD: G. I. BARONCELLI, S. BERTELLONI, F. SODINI AND G. SAGGESE

185 Evaluation of the reproducibility of the GHRH plus GHRP-6 test of growth hormone reserve in adults: V. POPOVIC, S. PEKIC, D. MICIC, S. DAMJANOVIC, J. MARIKOVIC, M. SIMIC, C. DIEGUEZ AND F. F. CASANUEVA

192 Vasopressin responsiveness of subclinical Cushing's syndrome due to ACTH-independent macronodular adrenocortical hyperplasia: I. TATSUNO, D. UCHIDA, T. TANAKA, H. KOIDE, A. SHIGETA, T. ICHIKAWA, H. SASANO AND Y. SAITO

201 Size at birth, the metabolic syndrome and 24-h salivary cortisol profile: E. KAJANTIE, J. ERIKSSON, C. OSMOND, P. J. WOOD, T. FORSÉN, D. J. P. BARKER AND D. I. W. PHILLIPS

208 High leptin levels in women developing postpartum thyroiditis: G. MAZZIOTTI, A. B. PARKES, M. LAGE, L. D. K. E. PREMAWARDHANA, F. F. CASANUEVA AND J. H. LAZARUS

214 Effects of oral contraceptives on circulating osteoprotegerin and soluble RANK ligand serum levels in healthy young women: L. C. HOFBAUER, M. SCHOPPET, P. SCHÜLLER, V. VIERECK AND M. CHRIST

220 Congenital hypothyroidism and apparent athyreosis with compound heterozygosity or compensated hypothyroidism with probable hemizygosity for inactivating mutations of the TSH receptor: S-M. PARK, R. J. CLIFTON-BLIGH, P. BETTS AND V. K. K. CHATTERJEE

228 Hypertriglyceridaemia in Alström's syndrome: causes and associations in 37 cases: R. B. PAISEY, C. M. CAREY, L. BOWER, J. MARSHALL, P. TAYLOR, P. MAFFEI AND P. MANSELL

232 Oestrogen receptor α genotype, and interactions between vitamin D receptor and transforming growth factor-β1 genotypes are associated with quantitative calcaneal ultrasound in postmenopausal women: J.-M. KOH, I. S. NAM-GOONG, J. S. HONG, H.-K. KIM, J. S. KIM, S.-Y. KIM AND G. S. KIM

241 Effect of flutamide and metformin administered alone or in combination in dieting obese women with polycystic ovary syndrome: A. GAMBINERI, C. PELUSI, S. GENGHINI, A. M. MORSELLI-LABATE, M. CACCIARI, U. PAGOTTO AND R. PASQUALI

250 Predictors of intellectual outcome in a cohort of brazilian children with congenital hypothyroidism: E. KREISNER, L. SCHERMANN, E. CAMARGO-NETO AND J. L. GROSS

256 Adiponectin, hepatocellular dysfunction and insulin sensitivity: A. LÓPEZ-BERMEJO, P. BOTAS, T. FUNAHASHI, E. DELGADO, S. KIHARA, W. RICART AND J. M. FERNÁNDEZ-REAL

264 Evaluation of bone mineral density of the peripheral skeleton in pre- and postmenopausal women with newly diagnosed endogenous Cushing's syndrome: N. KARAVITAKI, G. IOANNIDIS, F. GIANNAKOPOULOS, P. MAVROKEFALOS AND N. THALASSINOS

271 **Letters to the Editors**

Author's Declaration

Instructions for authors

Volume 60, Number 3, March 2004

Reviews

273 Management of adrenocortical carcinoma: B. ALLOLIO, S. HAHNER, D. WEISMANN AND M. FASSNACHT

288 Adrenarche – physiology, biochemistry and human disease: R. J. AUCHUS AND W. E. RAINEY

Commentary

297 Towards larger volume reduction of nodular goitres by radioiodine therapy: a role for pretreatment with recombinant human thyrotropin?: D. A. HUYSMANS, W.-A. NIEUWLAAT AND A. R. HERMUS

Original Articles

300 Administration of a single dose of recombinant human thyrotrophin enhances the efficacy of radioiodine treatment of large compressive multinodular goitres: M. N. C. SILVA, I. G. S. RUBIÓ, R. ROMÃO, E. M. M. S. GEBRIN, C. BUCHPIGUEL, E. TOMIMORI, R. CAMARGO, M. S. CARDIA AND G. MEDEIROS-NETO

309 Assessment of GH reserve before and after successful treatment of adult patients with Cushing's syndrome: M. TZANELA, N. KARAVITAKI, C. STYLIANIDOU, S. TSAGARAKIS AND N. C. THALASSINOS

315 Effects of conjugated oestrogen and droloxifene on the renin–angiotensin system, blood pressure and renal blood flow in postmenopausal women: E. W. SEELY, K. B. BROSNIHAN, X. JEUNEMAITRE, K. OKAMURA, G. H. WILLIAMS, N. K. HOLLENBERG AND D. M. HERRINGTON

322 Insulin resistance and endothelial dysfunction in the brothers of Indian subcontinent Asian women with polycystic ovaries: R. KAUSHAL, N. PARCHURE, G. BANO, J.-C. KASKI AND S. S. NUSSEY

329 Aggregation of thyroid autoantibodies in first-degree relatives of patients with autoimmune thyroid disease is mainly due to genes: a twin study: T. H. BRIX, P. S. HANSEN, K. O. KYVIK AND L. HEGEDÜS

335 Marked and sustained increase in bone mineral density after parathyroidectomy in patients with primary hyperparathyroidism; a six-year longitudinal study with or without parathyroidectomy in a Japanese population: R. NOMURA, T. SUGIMOTO, T. TSUKAMOTO, M. YAMAUCHI, H. SOWA, Q. CHEN, T. YAMAGUCHI, A. KOBAYASHI AND K. CHIHARA

343 Prevalence and determinants of left ventricular hypertrophy in acromegaly: impact of different methods of indexing left ventricular mass: G. VITALE, M. GALDERISI, R. PIVONELLO, L. SPINELLI, A. CICCARELLI, O. DE DIVITIIS, G. LOMBARDI AND A. COLAO

350 Adipokine levels in Cushing's syndrome; elevated resistin levels in female patients with Cushing's syndrome: M. KRSEK, J. V. SILHA, J. JEZKOVÁ, V. HÁNA, J. MAREK, V. WEISS, J. J. STEPÁN AND L. J. MURPHY

358 Osteopenia, excess adiposity and hyperleptinaemia during 2 years of treatment for childhood acute lymphoblastic leukaemia without cranial irradiation: J. H. DAVIES, B. A. J. EVANS, E. JONES, W. D. EVANS, M. E. M. JENNEY AND J. W. GREGORY

366 Early postoperative indicators of late outcome in acromegalic patients: J. A. TAKAHASHI, A. SHIMATSU, K. NAKAO AND N. HASHIMOTO

375 Efficacy of Sandostatin® LAR® (long-acting somatostatin analogue) is similar in patients with untreated acromegaly and in those previously treated with surgery and/or radiotherapy: J. AYUK, S. E. STEWART, P. M. STEWART, M. C. SHEPPARD

382 Ghrelin secretion is modulated in a nutrient- and gender-specific manner: Y. GREENMAN, N. GOLANI, S. GILAD, M. YARON, R. LIMOR AND N. STERN

389 Reduced $p18^{INK4c}$, $p21^{CIP1/WAF1}$ and $p27^{KIP1}$ mRNA levels in tumours of primary and secondary hyperparathyroidism: P. C. BUCHWALD, G. ÅKERSTRÖM AND G. WESTIN

394 **Letters to the Editors**

Author's Declaration

Instructions for authors

Volume 60, Number 4, April 2004

Review

397 On the pathogenesis of autoimmune thyroid disease: a unifying hypothesis: S. FOUNTOULAKIS AND A. TSATSOULIS

Commentary

410 Subclinical thyroid disease: consensus or conundrum?: D. S. COOPER

Original articles

413 Internal jugular vein sampling in adrenocorticotrophic hormone-dependent Cushing's syndrome: a comparison with inferior petrosal sinus sampling: D. ERICKSON, J. HUSTON, W. F. YOUNG, P. C. CARPENTER, R. A. WERMERS, F. S. BONELLI AND C. C. POWELL

420 Testosterone release rate and duration of action of testosterone pellet implants: S. KELLEHER, C. HOWE, A. J. CONWAY AND D. J. HANDELSMAN

429 Unchanged fasting and postprandial adiponectin levels following a 4-day caloric restriction in young healthy men: P. IMBEAULT, M. POMERLEAU, M. E. HARPER AND É. DOUCET

434 Elevated leptin fragments in renal failure correlate with BMI and haematopoiesis and are normalized by haemodialysis: D. N. STAMATIADIS, J. L. CHAN, R. COGSWELL, H. C. STEFANOPOULOU, J. BULLEN, N. KATSILAMBROS, C. P. STATHAKIS AND C. S. MANTZOROS

442 The effects of GH replacement in adult GH-deficient patients: changes in body composition without concomitant changes in the adipokines and insulin resistance: V. HANA, J. V. SILHA, V. JUSTOVA, Z. LACINOVA, J. J. STEPAN AND L. J. MURPHY

451 Sources of glucose variability in insulin-treated type 2 diabetes: the Diabetes Outcomes in Veterans Study (DOVES): G. H. MURATA, W. C. DUCKWORTH, J. H. SHAH, C. S. WENDEL AND R. M. HOFFMAN

457 The effectiveness of different treatment options for nonislet cell tumour hypoglycaemia: J. D. TEALE AND G. WARK

461 Dehydroepiandrosterone supplementation in women with adrenal failure: impact on twenty-four hour GH secretion and IGF-related parameters: J. J. CHRISTIANSEN, C. H. GRAVHOLT, S. FISKER, B. SVENSTRUP, P. BENNETT, J. VELDHUIS, M. ANDERSEN, J. S. CHRISTIANSEN AND J. O. L. JØRGENSEN

470 Variability in anterior pituitary size within members of a family with GH deficiency due to a new splice mutation in the GHRH receptor gene: M. ALBA, C. M. HALL, A. J. WHATMORE, P. E. CLAYTON, D. A. PRICE AND R. SALVATORI
476 Acquired prolactin deficiency (APD) after treatment for Cushing's disease is a reliable marker of irreversible severe GHD but does not reflect disease status: A. MUKHERJEE, R. D. MURRAY, G. M. TEASDALE AND S. M. SHALET
484 First trimester levels of inhibins and activin A in normal and failing pregnancies: E. M. WALLACE, B. MARJONO, K. TYZACK AND S. TONG
491 IGF-I and testosterone levels as predictors of bone mineral density in healthy, community-dwelling men: D. RUCKER, S. EZZAT, A. DIAMANDI, J. KHOSRAVI AND D. A. HANLEY
500 Serum adiponectin levels in hypogonadal males: influence of testosterone replacement therapy: F. LANFRANCO, M. ZITZMANN, M. SIMONI AND E. NIESCHLAG
508 Sex hormones in hereditary angioneurotic oedema: B. VISY, G. FÜST, L. VARGA, G. SZENDEI, E. TAKÁCS, I. KARÁDI, B. FEKETE, G. HARMAT AND H. FARKAS
516 Gender variation in PTH sensitivity and rhythmicity following growth hormone replacement in adult growth hormone-deficient patients: H. D. WHITE, A. M. AHMAD, A. A. SYED, A. CLEWES, R. PETER, J. P. VORA AND W. D. FRASER

527 **Erratum**

Author's Declaration

Instructions for authors

Volume 60, Number 5, May 2004

Review

529 Inherited adrenal hypoplasia: not just for kids!: L. LIN AND J. C. ACHERMANN

Commentary

538 Growth hormone assay standardization: a biased view?: G. E. WIERINGA, J. H. BARTH AND P. J. TRAINER
540 Taking one step at a time: C. J. STRASBURGER

Original articles

541 Effects of low and high dose oestradiol and dydrogesterone therapy on insulin and lipoprotein metabolism in healthy postmenopausal women: I. F. GODSLAND, N. A. MANASSIEV, C. V. FELTON, A. J. PROUDLER, D. CROOK, M. I. WHITEHEAD AND J. C. STEVENSON
550 Baseline characteristics and the effects of two years of growth hormone replacement therapy in adults with growth hormone deficiency previously treated for Cushing's disease: G. JOHANNSSON, K. S. SUNNERHAGEN AND J. SVENSSON
560 Plasma homocysteine in polycystic ovary syndrome: does it correlate with insulin resistance and ethnicity?: C. N. WIJEYARATNE, K. NIRANTHARAKUMAR, A. H. BALEN, J. H. BARTH, R. SHERIFF AND P. E. BELCHETZ
568 Long-term skeletal effects of recombinant human growth hormone (rhGH) alone and rhGH combined with alendronate in GH-deficient adults: a seven-year follow-up study: N. R. BIERMASZ, N. A. T. HAMDY, A. M. PEREIRA, J. A. ROMIJN AND F. ROELFSEMA
576 Growth hormone receptor expression and function in pituitary adenomas: L. R. CLAUSEN, M. T. KRISTIANSEN, L. M. RASMUSSEN, N. BILLESTRUP, O. BLAABJERG, T. LEDET AND J. O. L. JØRGENSEN
584 Neuroendocrine dysfunction in the acute phase of traumatic brain injury: A. AGHA, B. ROGERS, D. MYLOTTE, F. TALEB, W. TORMEY, J. PHILLIPS AND C. J. THOMPSON
592 The endocrine response to acute ghrelin administration is blunted in patients with anorexia nervosa, a ghrelin hypersecretory state: F. BROGLIO, L. GIANOTTI, S. DESTEFANIS, S. FASSINO, G. A. DAGA, V. MONDELLI, F. LANFRANCO, C. GOTTERO, C. GAUNA, L. HOFLAND, A. J. VAN DER LELY AND E. GHIGO
600 Thyroid autoantibody profiles in ophthalmic dominant and thyroid dominant Graves' disease differ and suggest ophthalmopathy is a multiantigenic disease: S. Y. GOH, S. C. HO, L. L. SEAH, K. S. FONG AND D. H. C. KHOO
608 Earlier initiation of GH therapy does not influence adult height but enables earlier start of pubertal induction in children with multiple pituitary hormone deficiency: M. KAWAI, T. MOMOI, M. MAMADA, T. YORIFUJI AND T. NAKAHATA
613 Circulating ghrelin levels in the newborn are positively associated with gestational age: S. BELLONE, A. RAPA, D. VIVENZA, A. VERCELLOTTI, A. PETRI, G. RADETTI, J. BELLONE, F. BROGLIO, E. GHIGO AND G. BONA
618 Lack of association of the vitamin D receptor gene with Graves' disease in UK Caucasians: J. E. COLLINS, J. M. HEWARD, R. NITHIYANANTHAN, S. NEJENTSEV, J. A. TODD, J. A. FRANKLYN AND S. C. L. GOUGH
625 Distribution pattern of somatostatin and cortistatin mRNA in human central and peripheral tissues: V. A. S. H. DALM, P. M. VAN HAGEN, R. R. DE KRIJGER, J. M. KROS, P. M. VAN KOETSVELD, A.-J. VAN DER LELY, S. W. J. LAMBERTS AND L. J. HOFLAND
630 Left ventricular mass and function in children with GH deficiency before and during 12 months GH replacement therapy: M. SALERNO, V. ESPOSITO, L. SPINELLI, C. DI SOMMA, V. FARINA, S. MUZZICA, L. T. DE HORATIO, G. LOMBARDI AND A. COLAO
637 Effects of recombinant LH (rLH) supplementation during controlled ovarian hyperstimulation (COH) in normogonadotrophic women with an initial inadequate response to recombinant FSH (rFSH) after pituitary downregulation: G. DE PLACIDO, C. ALVIGGI, A. MOLLO, I. STRINA, A. RANIERI, E. ALVIGGI, M. WILDING, M. T. VARRICCHIO, A. L. BORRELLI AND S. CONFORTI

644 Interest of Chromogranin A for diagnosis and follow-up of endocrine tumours: D. NEHAR, C. LOMBARD-BOHAS, S. OLIVIERI, B. CLAUSTRAT, J.-A. CHAYVIALLE, M.-C. PENES, G. SASSOLAS AND F. BORSON-CHAZOT

Author's Declaration

Instructions for authors

Volume 60, Number 6, June 2004

Review

653 Age-related changes in testosterone and the role of replacement therapy in older men: C. A. ALLAN AND R. I. MCLACHLAN

Original articles

671 Propylthiouracil and carbimazole associated-antineutrophil cytoplasmic antibodies (ANCA) in patients with Graves' disease: L. HARPER, L. CHIN, J. DAYKIN, A. ALLAHABADIA, J. HEWARD, S. C. GOUGH, C. O. SAVAGE AND J. A. FRANKLYN

676 Comparison of single daily dose of methimazole and propylthiouracil in the treatment of Graves' hyperthyroidism: C.-T. HE, A.-T. HSIEH, D. PEI, Y.-J. HUNG, L.-Y. WU, T.-C. YANG, W.-C. LIAN, W.-S. HUANG AND S.-W. KUO

682 Vitamin A and iron supplementation is as efficient as hormonal therapy in constitutionally delayed children: Z. ZADIK, T. SINAI, A. ZUNG AND R. REIFEN

688 Conventional glucocorticoid replacement overtreats adult hypopituitary patients with partial ACTH deficiency: A. AGHA, A. LIEW, F. FINUCANE, L. BAKER, P. O'KELLY, W. TORMEY AND C. J. THOMPSON

694 Extraocular muscle antibodies and the occurrence of ophthalmopathy in Graves' disease: A. DE BELLIS, S. PERRINO, C. CORONELLA, D. SANSONE, G. RUOCCO, G. TIRELLI, S. DI MARTINO, M. CONTE, G. BELLASTELLA, J. R. WALL, A. BELLASTELLA AND A. BIZZARRO

699 Ghrelin does not mediate the somatotroph and corticotroph responses to the stimulatory effect of glucagon or insulin-induced hypoglycaemia in humans: F. BROGLIO, F. PRODAM, C. GOTTERO, S. DESTEFANIS, E. ME, F. RIGANTI, R. GIORDANO, A. PICU, M. BALBO, A. JAN VAN DER LELY, E. GHIGO AND E. ARVAT

705 Erythrocyte Na^+/K^+-ATPase is increased in subjects with subclinical hypothyroidism: G. NICOLINI, S. BALZAN, R. COLZANI, M. SCARLATTINI, M. C. TADDEI AND G. IERVASI

711 Premature birth and low birth weight associated with nonautoimmune hyperthyroidism due to an activating thyrotropin receptor gene mutation: B. VAIDYA, V. CAMPBELL, J. H. TRIPP, G. SPYER, A. T. HATTERSLEY AND S. ELLARD

719 Ultrasonographic screening for detection of thyroid cancer in patients with Graves' disease: W. B. KIM, S.-M. HAN, T. Y. KIM, I. S. NAM-GOONG, G. GONG, H. K. LEE, S. J. HONG AND Y. K. SHONG

726 Comparison of practical methods for urinary glycosaminoglycans and serum hyaluronan with clinical activity scores in patients with Graves' ophthalmopathy: J. R. M. MARTINS, R. P. FURLANETTO, L. M. OLIVEIRA, A. MENDES, C. C. PASSEROTTI, M. I. CHIAMOLERA, A. J. ROCHA, P. G. MANSO, H. B. NADER, C. P. DIETRICH AND R. M. B. MACIEL

734 One-year follow-up of patients with acromegaly treated with fixed or titrated doses of lanreotide Autogel®: P. CARON, M. BEX, D. R. CULLEN, U. FELDT-RASMUSSEN, A. M. PICO ALFONSO, S. PYNKA, K. RACZ, J. SCHOPOHL, A. TABARIN, M. J. VALIMAKI

741 Growth hormone, IGF-I and its binding proteins (IGFBP-1 and -3) in adult uraemic patients undergoing peritoneal dialysis and haemodialysis: P. IGLESIAS, J. J. DÍEZ, M. J. FERNÁNDEZ-REYES, J. MÉNDEZ, M. A. BAJO, A. AGUILERA AND R. SELGAS

750 Replacement therapy with levothyroxine plus triiodothyronine (bioavailable molar ratio 14 : 1) is not superior to thyroxine alone to improve well-being and cognitive performance in hypothyroidism: W. SIEGMUND, K. SPIEKER, A. I. WEIKE, T. GIESSMANN, C. MODESS, T. DABERS, G. KIRSCH, E. SÄNGER, G. ENGEL, A. O. HAMM, M. NAUCK AND W. MENG

758 Altered serum profile of inhibin B, Pro-αC and anti-Müllerian hormone in prepubertal and pubertal boys with varicocele: R. V. TRIGO, I. BERGADÁ, R. REY, M. G. BALLERINI, P. BEDECARRÁS, C. BERGADÁ, S. GOTTLIEB AND S. CAMPO

765 Profound amplification of secretory-burst mass and anomalous regularity of ACTH secretory process in patients with Nelson's syndrome compared with Cushing's disease: M. O. VAN AKEN, A. M. PEREIRA, G. VAN DEN BERG, J. A. ROMIJN, J. D. VELDHUIS AND F. ROELFSEMA

773 **Letter to the Editor**

776 **Referees**

778 **Author Index**

788 **Subject Index**

Volume Contents

Author's Declaration

Instructions for authors